WEST Search History for Application 10739354

Creation Date: 2010021811:35

- (generat\$4)near5(first near4 seed)with(server)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-01-2008
- (generat\$4)near5(second near4 seed)with(client)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-01-2008
- ((generat\$4)near5(first near4 seed)with(server)) and ((generat\$4)near5(second near4 seed)with(client))PGPB, USPT, EPAB, UPAB, DWPI, TDBD OR YES 08-01-2008 dynamic near4 seedPGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-01-2008 (dynamic near4 seed) and key near3 managerPGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-01-2008
- (generat\$4)near5(first and second)with(seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-01-2008
- ((generat\$4)near5(first and second)with(seed)) and (first and second)with(key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-01-2008
- ((generat\$4)near5(first and second)with(seed) and (first and second)with(key)) and dynamic near4 seedPGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-01-2008
 - (generat\$4 or creat\$4)near5(first near4 random near3 number)with(server or host)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-01-2008
 - ((generat\$4 or creat\$4)near5(first near4 random near3 number)with(server or host)) and (generat\$4 or creat\$4)near5(second near4 random near3 number)with(client)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-01-2008
 - (application near4 key)near4(derive)near5(seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
- (generat\$4 or creat\$4)near5(responsiv\$3 or after)with(authenticat\$3)near5(first near4 seed or random near3 number)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008 ((generat\$4 or creat\$4)near5(first near4 random near3 number)with(server or host)) and (generat\$4 or creat\$4)near5(second near4 random near3 number)with(client)PGPB, USPT.
 - EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008 (generat\$4 or creat\$4)near5(first near4 random near3 number)with(server or host)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
- (((generat\$4)near5(first and second)with(seed) and (first and second)with(key)) and dynamic near4 seedPGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008 (new or updat\$4)with(application near4 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
- ((new or updat\$4)with(application near4 key)) and dynamic near3 seedPGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
 - (EAP or extensible near3 authentication near3 protocol) and ((new or updat\$4)with(application near4 key))PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
 - 380/268.ccls.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
- 713/171.ccls.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
 713/182.ccls. and(first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB,
 DWPI, TDBD OR YES 08-02-2008
 - 726/2.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
- 380/277.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008

1

```
380/278.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
```

- 380/285.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
- 380/44.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
- 380/46.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
- 380/47.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
- Chad near Fors.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
 Kashyap near Kamdar.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
 Rejesh near Pazhyannur.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 08-02-2008
 Motorola.as. and (application near3 key and seed)PGPB, USPT, EPAB, JPAB, DWPI,
 TDBD OR YES 08-02-2008
- (generat\$5 or creat\$5)near8(first near dynamic near seed)with(host or server)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
- (generat\$5 or creat\$5)near8(second near dynamic near seed)with(client or workstation or computer or pc)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009 (generat\$5 or creat\$5)near5(second near application near
- key)near5(independent\$5)with(client or workstation or computer or pc)PGPB, USPT, EPAB,
 JPAB, DWPI, TDBD OR YES 01-29-2009
 - ((generat\$4)near5(first near4 seed)with(server)) and ((generat\$4)near5(second near4 seed)with(client))PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
- ((generat\$4 or creat\$4)near5(first near4 random near3 number)with(server or host)) and (generat\$4 or creat\$4)near5(second near4 random near3 number)with(client)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-200
- ((new or updat\$4)with(application near4 key)) and dynamic near3 seedPGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 - (EAP or extensible near3 authentication near3 protocol) and ((new or updat\$4)with(application near4 key))PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
- (generat\$4 or creat\$4)near5(responsiv\$3 or after)with(authenticat\$3)near5(first near4 seed or random near3 number)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009 380/268.ccis.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009 713/171.ccis.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 - 713/182.ccls. and(first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 - 726/2.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 - 380/277.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI. TDBD OR YES 01-29-2009
 - 380/278.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 - 380/285.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 - 380/44.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 - 380/46.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 - 380/47.ccls.and (first and second)with(application near3 key)PGPB, USPT, EPAB, JPAB,

DWPI, TDBD OR YES 01-29-2009

- ((generat\$4)near5(first and second)with(seed) and (first and second)with(sey)) and dynamic near4 seedPGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 Chad near Fors.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 Kashyap near Kamdar.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 Rejesh near Pazhyannur.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 01-29-2009
 Motorola.as. and (application near3 key and seed)PGPB. USPT. EPAB. JPAB. DWPI,
 - TDBD OR YES 01-29-2009
- layer near 2 near authentication and (seed near value or dynamic near seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-08-2009
- (application near key) and (network near layer near authenticat\$6)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-08-2009
- (application near key) and (dynamic near seed or seed near value)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-08-2009
 - ((application near key) and (dynamic near seed or seed near value)) and (EAP-SIM or EAP-AKA or EAP-TLS or extensible near authentication near protocol)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-08-2009
- ((application near key) and (dynamic near seed or seed near value)) and (data near link near layer or extended near authenticat\$6 or XAUTH)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-08-2009
 - ((application near key) and (dynamic near seed or seed near value)) and (layer near 2 or layer near 3)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-08-2009 (application near key\$2) and (dynamic near seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-08-2009
 - (first near application near key and second near application near key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-08-2009
- (lower near layer or layer near 2 or data near link near layer) and (dynamic near seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-08-2009
- ((layer near 2)with(client) and (layer near 2)with(server)) and (@ad-20031201)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-08-2009 ((EAP and SIP) and (layer near 2 and layer near 3)) and (key\$2)PGPB, USPT, EPAB, JPAB,
- DWPI, TDBD OR YES 07-08-2009
 (application near key) and (key near manager)PGPB, USPT, EPAB, JPAB, DWPI,
 - TDBD OR YES 07-08-2009 380/268.cols.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-13-2009 713/171.cols.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-13-2009
- (authenticat\$5)near(application\$2)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009 ((authenticat\$5)near(application\$2)) and (dynamic near seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 - (dynamic near seed) and (application near key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
- ((authenticat\$5)near(application\$2)) and (application near key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
- ((authenticat\$5)near(application\$2) and (application near key)) and (server and client)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 - ((authenticat\$5)near(application\$2) and (application near key) and (server and client)) and (random near number or seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009 (dynamic near seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 - (generat\$5 or creat\$5)near(seed or random near number)with(key\$2)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 - ((generat\$5 or creat\$5)near(seed or random near number)with(key\$2)) and

```
(authenticat$5)near(application$2) ) and (@ad<20031201)PGPB, USPT, EPAB, JPAB, DWPI,
                                 TDBD OR 07-13-2009
       (authenticat$5)near(application)with(client)PGPB, USPT, EPAB, JPAB, DWPI,
                                 TDBD OR 07-13-2009
                    ((authenticat$5)near(application)with(client) ) and
       (authenticat$5)near(application)with(server)PGPB, USPT, EPAB, JPAB, DWPI,
                                 TDBD OR 07-13-2009
((authenticat$5)near(application)with(client) and (authenticat$5)near(application)with(server)
) and (seed or random near number)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
    (Mutual near authenticat$5)near(client and server)PGPB, USPT, EPAB, JPAB, DWPI,
                                 TDBD OR 07-13-2009
  (generat$5 or creat$5)near(key$2)near(authenticat$5)with(application or software)PGPB,
                    USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
       (application)with(level)near(authenticat$5)PGPB, USPT, EPAB, JPAB, DWPI,
                                 TDBD OR 07-13-2009
((application)with(level)near(authenticat$5)) and (@ad<20031201)PGPB, USPT, EPAB, JPAB,
                              DWPI, TDBD OR 07-13-2009
       (dynamic near seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
       ((dynamic near seed)) and (@ad<20031201)PGPB, USPT, EPAB, JPAB, DWPI.
                                 TDBD OR 07-13-2009
       (application adj keys)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
((application adj keys)) and (layer near 2 and layer near 3)PGPB, USPT, EPAB, JPAB, DWPI,
                                 TDBD OR 07-13-2009
((application adj keys) and (layer near 2 and layer near 3)) and (@ad<20031201)PGPB, USPT,
                       EPAB, JPAB, DWPI, TDBD OR 07-13-2009
  ((application adi keys) and (layer near 2 and layer near 3) ) and (client and server)PGPB,
                    USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 (authenticat$5)near(application$2)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((authenticat$5)near(application$2) ) and (dynamic near seed)PGPB, USPT, EPAB, JPAB,
                              DWPI, TDBD OR 07-13-2009
     (dynamic near seed) and (application near key)PGPB, USPT, EPAB, JPAB, DWPI,
                                 TDBD OR 07-13-2009
 ((authenticat$5)near(application$2) ) and (application near key)PGPB, USPT, EPAB, JPAB,
                              DWPI, TDBD OR 07-13-2009
((authenticat$5)near(application$2) and (application near key) ) and (server and client)PGPB.
                    USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 ((authenticat$5)near(application$2) and (application near key) and (server and client) ) and
  (random near number or seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
       (dynamic near seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 (generat$5 or creat$5)near(seed or random near number)with(key$2)PGPB, USPT, EPAB,
                           JPAB, DWPI, TDBD OR 07-13-2009
        ((generat$5 or creat$5)near(seed or random near number)with(key$2) ) and
((authenticat$5)near(application$2) )PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
        ((generat$5 or creat$5)near(seed or random near number)with(key$2) and
(authenticat$5)near(application$2) ) and (@ad<20031201)PGPB, USPT, EPAB, JPAB, DWPI,
```

((authenticat\$5)near(application\$2))PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009 ((generat\$5 or creat\$5)near(seed or random near number)with(key\$2) and

TDBD OR 07-13-2009
(authenticat\$5)near(application)with(client)PGPB, USPT, EPAB, JPAB, DWPI,
TDBD OR 07-13-2009
((authenticat\$5)near(application)with(client)) and

```
(authenticat$5)near(application)with(server)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
```

- ((authenticat\$5)near(application)with(client) and (authenticat\$5)near(application)with(server)) and (seed or random near number)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009 (Mutual near authenticat\$5)near(client and server)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 - (generat\$5 or creat\$5)near(key\$2)near(authenticat\$5)with(application or software)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 - (application)with(level)near(authenticat\$5)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
- ((application)with(level)near(authenticat\$5)) and (@ad<20031201)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 - (dynamic near seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009 ((dynamic near seed)) and (@ad<20031201)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
- (application adj keys)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009 ((application adj keys)) and (layer near 2 and layer near 3)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
- ((application adj keys) and (layer near 2 and layer near 3)) and (@ad<20031201)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 - ((application adj keys) and (layer near 2 and layer near 3)) and (client and server)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 - (destroy\$5 or delet\$5)with(key\$2)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009 ((destroy\$5 or delet\$5)with(key\$2)) and (first near authenticat\$5 and second near authenticat\$51PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 - (layer near 2 and layer near 3)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009 ((layer near 2 and layer near 3)) and (key\$2)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
- ((layer near 2 and layer near 3) and (key\$2)) and (random near number or seed or dynamic near key or dynamic near seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009 ((layer near 2 and layer near 3) and (key\$2) and (random near number or seed or dynamic near key or dynamic near seed)) and (client and server)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
- ((layer near 2 and layer near 3) and (key\$2) and (random near number or seed or dynamic near key or dynamic near seed) and (client and server)) and (@ad<20031201)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-200
- (layer near 2)with(client) and (layer near 2)with(server)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
- ((layer near 2)with(client) and (layer near 2)with(server)) and (@ad<20031201)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 - (EAP and SIP)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009 ((EAP and SIP)) and (layer near 2 and layer near 3)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
- ((EAP and SIP) and (layer near 2 and layer near 3)) and (key\$2)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
 - (application near key) and (key near manager)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009
- (generat\$5 or creat\$5 or comput\$5 or calculat\$5)with(client or workstation or computer or laptop or pda or mobile near device or black near berry or cell near phone or wireless near device)near(seed or random near number)same(generat\$5 or creat\$5 or comput\$5 or calculat\$5)with(server or host)near(seed or random near number) and (@ad<"20031218"

@prad<"20031218" @rlad<"20031218")PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009

(generat\$5 or creat\$5 or comput\$5 or calculat\$5)near(key\$2 or application near key)near(authenticat\$5)with(application or software or code or program)near(server or host) and (@ad<"20031218" @prad<"20031218" @prad<"20031218")PGPB, USPT, EPAB, JPAB, DWPI. TDBD OR 07-13-2009

(key\$2)near(deriv\$6 or comput\$5 or calculat\$5)with(seed or random near number)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009

((key\$2)near(deriv\$6 or comput\$5 or calculat\$5)with(seed or random near number)) and (authenticat\$5)with(application)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009 ((key\$2)near(deriv\$6 or comput\$5 or calculat\$5)with(seed or random near number)) and (@ad<"20031218" @prad<"20031218" @prad<"20031218" PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009

(layer near 2 near authenticat\$5)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009 ((layer near 2 near authenticat\$5)) and (@ad<"20031218" @prad<"20031218")PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009 ((layer near 2 near authenticat\$5) and (@ad<"20031218" @prad<"20031218"

@rlad<"20031218")) and (key\$2)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR 07-13-2009 Chad near Fors.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-13-2009 Kashyap near Kamdar.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-13-2009 Rejesh near Pazhyannur.in.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-13-2009 Motorola.as. and (application near key and seed)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-13-2009

380/262.ccls.and (key\$2)near(server or host) and (key\$2)near(client or workstation)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-15-2009

380/259.ccls.and (first near key and second near key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-15-2009

380/277.ccls.and (first near key and second near key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-15-2009

380/278.ccls.and (first near key and second near key)PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-15-2009

380/262.ccls.PGPB, USPT, EPAB, JPAB, DWPI, TDBD OR YES 07-15-2009

Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
(authenticat\$5)near(application\$2)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010
((authenticat\$5)near(application\$2)) and (dynamic near seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-18-2010

(dynamic near seed) and (application near key)	PGPB, USPT, EPAB, JPAB, DWPI,	OR	YES	02-18-2010
((authenticat\$5)near(application\$2)) and (application near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((authenticat\$5)near(application\$2) and (application near key)) and (server and client)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((authenticat\$5)near(application\$2) and (application near key) and (server and client)) and (random near number or seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
(dynamic near seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
(generat\$5 or creat\$5)near(seed or random near number)with(key\$2)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((generat\$5 or creat\$5)near(seed or random near number)with(key\$2)) and ((authenticat\$5)near(application\$2))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((generat\$5 or creat\$5)near(seed or random near number)with(key\$2) and (authenticat\$5)near(application\$2)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB,	OR	YES	02-18-2010

	DWPI, TDBD			
(authenticat\$5)near(application)with(client)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((authenticat\$5)near(application)with(client)) and (authenticat\$5)near(application)with(server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((authenticat\$5)near(application)with(client) and (authenticat\$5)near(application)with(server)) and (seed or random near number)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
(Mutual near authenticat\$5)near(client and server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
(generat\$5 or creat\$5)near(key\$2)near(authenticat\$5)with(application or software)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
(application)with(level)near(authenticat\$5)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((application)with(level)near(authenticat\$5)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
(dynamic near seed)		OR	YES	02-18-2010

	PGPB, USPT, EPAB, JPAB, DWPI, TDBD			
((dynamic near seed)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
(application adj keys)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((application adj keys)) and (layer near 2 and layer near 3)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((application adj keys) and (layer near 2 and layer near 3)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((application adj keys) and (layer near 2 and layer near 3)) and (client and server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((authenticat\$5)near(application\$2) and (application near key) and (server and client)) and (random near number or seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((generat\$5 or creat\$5)near(seed or random near number)with(key\$2)) and ((authenticat\$5)near(application\$2))	PGPB, USPT, EPAB, JPAB,	OR	YES	02-18-2010

	DWPI, TDBD			
((generat\$5 or creat\$5)near(seed or random near number)with(key\$2) and (authenticat\$5)near(application\$2)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((authenticat\$5)near(application)with(client)) and (authenticat\$5)near(application)with(server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((authenticat\$5)near(application)with(client) and (authenticat\$5)near(application)with(server)) and (seed or random near number)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
(generat\$5 or creat\$5)near(key\$2)near(authenticat\$5)with(application or software)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
(application) with(level) near (authenticat \$5)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((dynamic near seed)) and (@ad<20031201)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((application adj keys)) and (layer near 2 and layer near 3) $\label{eq:3}$	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
		OR	YES	02-18-2010

((application adj keys) and (layer near 2 and layer near 3)) and (client and server)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD			
(EAP and SIP)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
((EAP and SIP)) and (layer near 2 and layer near 3)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
380/268.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
713/171.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
Chad near Fors.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
Kashyap near Kamdar.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010
Rejesh near Pazhyannur.in.	PGPB, USPT, EPAB, JPAB,	OR	YES	02-18-2010

	DWPI, TDBD			
Motorola.as. and (application near3 key and seed)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-18-2010